Date of Birth: 22/06/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

WK REPLAY #

DAM: NNHL5052 NOONEE LEXY L5052 #

NOONEE LEXY J3042 SV

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.2	+2.9	-2.8	+5.0	+45	+80	+109	+105	+15	+2.2	-6.4	+64	+5.6	-0.7	-0.6	+0.7	+1.6	-0.29	-	-	-
Acc	43%	38%	61%	54%	54%	54%	54%	52%	49%	48%	33%	50%	48%	52%	50%	49%	47%	40%	-	-	-
Perc	62	51	79	70	73	79	67	41	73	41	21	61	57	69	55	40	67	7	-	-	-

Notes

	Selection	Indexes	
\$	A	\$A	ı-L
\$163	80	\$304	74

Purchaser: ...

NOONEE S1096 # Lot 2 NNH21S1096

Date of Birth: 01/07/2021 Register: APR Mating Type: Natural AMFU,CA14%,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE A5060 SV

DAM: NNHJ3150 NOONEE REBECCA J3150 #

NOONEE REBECCA 243 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	erved: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.2	+2.0	-4.1	+4.4	+42	+77	+101	+99	+13	+1.2	-4.7	+65	+3.8	-0.5	-1.1	+0.6	+1.1	-0.27	-	-	-
Acc	42%	36%	57%	55%	55%	55%	56%	53%	49%	48%	31%	50%	48%	52%	50%	49%	46%	38%	-	-	-
Perc	69	60	59	57	85	85	82	52	85	81	48	57	83	64	68	44	84	8	-	-	-

Notes: Genetic testing results pending.

	Selection	Indexes	
\$	A	\$A	\-L
\$138	92	\$264	90

NNH21S1089

Lot 3 **NOONEE S1089** #

Register: APR

AMFU,CAFU,DDFU,NHFU Date of Birth: 25/06/2021 Register: APR Mating Type: Natural

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE D38 SV DAM: NNHG1040 NOONEE ADELAIDE G1040 SV

NOONEE ADELAIDE E9020 #

	Mid Au	ıgust 20	22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-0.5	+2.6	-3.0	+4.9	+43	+74	+101	+99	+12	+1.6	-5.2	+60	+5.7	-0.5	-1.4	+1.1	+1.4	-0.23	-	-	-
Acc	43%	37%	56%	57%	55%	54%	54%	52%	50%	48%	31%	49%	47%	51%	49%	48%	45%	38%	-	-	-
Perc	74	54	76	68	82	90	81	52	87	66	39	74	55	64	75	25	74	10	-	-	-

Notes:

Date of Birth: 06/07/2021

	Selection	n Indexes	
\$	A	\$A	\-L
\$147	89	\$272	88

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 4 **NOONEE S1087** # NNH21S1087 Mating Type: Natural

VERMONT BT EQUATOR C255 PV

V A R RESERVE 1111 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

DAM: NNHL5036 NOONEE QUALITY L5036 #

NOONEE JEANETTE J44 PV NOONEE QUALITY G1034 SV

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+3.9	+3.5	-2.9	+3.2	+39	+70	+92	+79	+15	+1.4	-4.8	+54	+6.3	-0.1	-0.2	+0.6	+1.7	-0.02		-	-
Acc	46%	41%	63%	58%	56%	56%	57%	56%	52%	50%	34%	53%	51%	55%	52%	53%	50%	43%	-	-	-
Perc	40	44	77	29	93	95	92	84	67	74	46	88	45	52	44	44	63	26	-	-	-

Notes:

	Selection	ı Indexes	
\$.	A	\$A	۱-L
\$167	77	\$286	83

Date of Birth: 01/06/2021 Register: HBR Mating Type: AI AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: NMMP15 MILLAH MURRAH PARATROOPER P15 PV

MILLAH MURRAH ELA M9 PV

TE MANIA ADA A149 PV

DAM: NNHF5 NOONEE HARMONY F5 SV NOONEE HARMONY Z89 #

TACE	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+4.6	+6.9	-6.5	+3.9	+53	+100	+124	+125	+16	+1.6	-2.4	+79	+5.9	-2.1	-2.1	+1.0	+1.5	-0.27	-	-	-
Acc	55%	45%	83%	65%	64%	64%	64%	61%	54%	62%	38%	57%	57%	60%	58%	57%	56%	47%	-	-	-
Perc	33	12	22	44	31	20	34	14	60	66	84	12	52	94	87	28	70	8	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	ı-L
\$173	72	\$342	47

Purchaser:

3

Lot 6 NOONEE S1063 * NNH21S1063

Date of Birth: 04/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DD50%,NHFU

VERMONT BT EQUATOR C255 PV
SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

PATAWALLA MATRIX E33 SV

DAM: NNHM111 NOONEE LAPWING M111 #

NOONEE LAPWING K117 #

	Mid Au	ugust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+2.3	+4.0	-5.7	+4.3	+48	+86	+116	+102	+15	+1.1	-5.3	+63	+5.8	-0.3	-0.2	+0.5	+1.5	-0.44	-	-	-
Acc	43%	38%	56%	56%	55%	55%	55%	53%	49%	49%	31%	51%	49%	53%	51%	50%	47%	41%	-	-	-
Perc	54	39	33	54	59	61	51	46	67	84	37	64	53	58	44	49	70	3	-	-	-

Notes: Genetic testing results pending.

Date of Birth: 06/07/2021

	Selection	n Indexes	
\$	A	\$A	\-L
\$187	59	\$331	56

Purchaser:

\$.....

Lot 7 NOONEE \$1090 * NNH21\$1090

Register: APR Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

DAM: NNHJ3013 NOONEE LEXY J3013 #

NOONEE G1057 SV

NOONEE LEXY G1004 SV

	Mid Au	ıgust 20	22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-3.6	+1.0	-4.4	+6.2	+52	+93	+126	+125	+13	+2.5	-5.0	+78	+5.0	-0.8	-1.1	+0.9	+1.1	-0.48	-	-	-
Acc	42%	37%	57%	56%	54%	55%	54%	53%	48%	48%	31%	50%	48%	52%	50%	50%	46%	39%	-	-	-
Perc	88	68	54	89	38	37	29	14	81	29	43	15	67	72	68	32	84	2	-	-	-

Notes:

Date of Birth:

22/06/2021

	Selection	n Indexes	
\$	A	\$A	\-L
\$153	86	\$300	76

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 8 NOONEE SALISBURY S61 # NNH21S61

Mating Type: Natural

VERMONT BT EQUATOR C255 PV

Register: HBR

SITZ NEW DESIGN 458N #

SIRE: NNHL45 NOONEE LAMARCK L45 PV

DAM: NNHF3 NOONEE WINKIE F3 SV

NOONEE JEANETTE J44 PV

NOONEE WINKIE D19#

TACE	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.0	+2.1	-3.2	+4.2	+43	+78	+108	+101	+14	+1.6	-2.4	+62	+4.9	-1.1	-1.8	+0.8	+1.3	-0.36	-		-
Acc	47%	42%	62%	59%	58%	58%	58%	57%	53%	52%	36%	54%	52%	55%	53%	53%	50%	44%	-	-	-
Perc	64	59	73	52	80	83	69	49	80	66	84	67	69	79	82	36	78	5	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	L
\$137	92	\$263	90

Purchaser:

\$

Date of Birth: 30/05/2021 Register: APR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE LOVETT L35 SV

DAM: NNHQ9106 NOONEE Q9106 SV

NOONEE L5131 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits O	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+7.7	+5.8	-7.0	+2.7	+55	+99	+123	+101	+16	+0.5	-0.3	+72	+9.5	-1.6	-2.4	+1.9	+2.0	+0.33	•	-	-
Acc	56%	47%	83%	67%	66%	66%	67%	65%	61%	63%	37%	62%	60%	64%	61%	61%	60%	51%	-	-	-
Perc	11	21	17	20	22	21	35	49	58	95	97	29	10	88	90	8	50	69	-	-	-

Notes:

Date of Birth: 27/07/2021

	Selection	Indexes	
\$	Α	\$A	\-L
\$227	20	\$379	21

AMFU,CAFU,DDFU,NHFU

Purchaser: ...

NOONEE S1139 # **Lot 10** NNH21S1139

Mating Type: Natural

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

Register: APR

NOONEE JEANETTE J44 PV

NOONEE A5060 SV

DAM: NNHJ3142 NOONEE WINKIE J3142 #

NOONEE WINKIE D15 #

	Mid Au	ugust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.4	+0.5	-2.9	+5.2	+42	+76	+102	+103	+12	+1.8	-5.1	+63	+3.4	-0.5	-0.7	+0.5	+1.0	-0.30	-	-	-
Acc	42%	37%	56%	55%	55%	56%	56%	55%	51%	47%	31%	50%	48%	53%	50%	49%	46%	39%	-	-	-
Perc	68	73	77	74	85	87	79	45	89	58	41	63	87	64	58	49	86	7	-	-	-

	Selection	Indexes	
\$	A	\$A	L
\$127	94	\$256	92

Lot 11

NOONEE STEADFAST S4 #

NNH21S4

AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

Date of Birth: 30/05/2021

Mating Type: Al

Register: HBR

Register: HBR

NOONEE KANDINSKY K54 SV

DAM: NNHQ21 NOONEE JEANETTE Q21 SV

BALDRIDGE BLACKBIRD A030 #

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

NOONEE JEANETTE K134 #

TACE	Mid Au	ugust 20)22 Tra	nsTasm	nan Ang	jus Catt	le Eval	uation												Traits C	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+4.2	+4.2	-7.6	+3.9	+55	+94	+121	+100	+19	+1.1	-3.2	+68	+7.7	-0.8	-1.0	+1.1	+2.0	+0.21	-	-	-
Acc	56%	47%	83%	67%	66%	66%	67%	65%	61%	63%	37%	62%	60%	64%	61%	61%	60%	50%	-	-	-
Perc	37	37	11	44	23	34	38	50	38	84	74	45	25	72	65	25	50	54	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	ı-L
\$224	22	\$370	27

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 12 NOONEE STANFORD S6 # NNH21S6 Mating Type: Al

EF COMMANDO 1366 PV

Date of Birth: 30/05/2021

NOONEE HARDY H21 SV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV DAM: NNHQ15 NOONEE THELMA Q15 SV

BALDRIDGE BLACKBIRD A030 #

NOONEE THELMA K10 #

IACE	Mid A	ugust 20	J22 Ira	ns I asm	nan Ang	jus Catt	le Eval	uation												Traits O	bserved: GL
TransTasman Angu Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.6	+4.0	-8.0	+4.7	+54	+97	+129	+125	+16	+0.7	-3.3	+70	+6.7	-1.4	-2.0	+1.2	+1.9	+0.13	-	-	-
Acc	56%	47%	83%	66%	66%	66%	66%	65%	61%	63%	37%	61%	60%	63%	60%	60%	59%	50%	-	-	-
Perc	25	39	9	63	28	27	24	13	64	92	72	38	38	85	85	22	54	44	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	\-L
\$193	53	\$361	33

Date of Birth: 25/05/2021 Register: APR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE J3068 SV

DAM: NNHQ9043 NOONEE Q9043 SV

NOONEE G1039 #

	Mid Au	ugust 20)22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	\-L
-	-	-	-

AMFU,CAFU,DDFU,NHFU

Purchaser: ...

NOONEE S1072 # **Lot 14** NNH21S1072 Mating Type: Natural

ASCOT EVIDENT H146 PV

Date of Birth: 07/07/2021

SIRE: NNHN28 NOONEE NOTABLE N28 PV

NOONEE WINKIE F3 SV

PATAWALLA MATRIX E33 SV

DAM: NNHN7095 NOONEE TRIXIE N7095 #

NOONEE TRIXIE F0026 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-1.3	-0.5	-5.1	+5.6	+53	+92	+122	+120	+10	+1.4	-2.2	+67	+5.5	-1.5	-1.7	+1.4	+1.2	-0.47	-	-	-
Acc	42%	38%	58%	56%	56%	56%	56%	54%	50%	52%	33%	52%	50%	54%	52%	51%	48%	41%	-	-	-
Perc	78	79	42	81	31	43	36	19	96	74	86	47	59	87	81	17	81	3	-	-	-

	Selection	Indexes							
\$A \$A-L									
\$159	82	\$300	76						

Lot 15 NOONEE STOCKTON S88 #

Register: APR

Register: APR

Date of Birth: 20/07/2021 Register: HBR Mating Type: Natural

NNH21S88 AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

V A R RESERVE 1111 PV DAM: NNHL29 NOONEE TARCUTTA L29 #

NOONEE TARCUTTA H62 #

	Mid Au	ıgust 20	22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.1	+3.9	-3.4	+4.0	+44	+79	+110	+112	+15	+1.9	-4.4	+63	+7.2	-1.4	-1.5	+1.4	+1.3	-0.26	-	-	-
Acc	46%	41%	62%	57%	56%	56%	56%	54%	51%	50%	34%	52%	50%	54%	52%	52%	49%	42%	-	-	-
Perc	29	40	70	47	79	80	64	29	72	54	54	63	31	85	77	17	78	8	-	-	-

Notes:

Date of Birth:

	Selection	n Indexes	
\$	A	\$A	\-L
\$154	85	\$303	74

AMFU,CA50%,DDFU,NHFU

Purchaser:

Lot 16 NOONEE S1147 NNH21S1147 Mating Type: Natural

VERMONT BT EQUATOR C255 PV

WK RFPI AY #

SIRE: NNHL45 NOONEE LAMARCK L45 PV

DAM: NNHH2018 NOONEE GINNIE H2018 SV

NOONEE JEANETTE J44 PV

NOONEE GINNIE D8031 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.0	+3.0	-2.7	+5.1	+48	+83	+112	+102	+14	+2.1	-7.0	+65	+5.3	-0.1	-0.1	+0.5	+1.4	-0.23	-	-	-
Acc	45%	40%	61%	57%	55%	56%	57%	54%	50%	48%	34%	51%	49%	54%	52%	50%	48%	41%	-	-	-
Perc	64	50	80	72	60	71	61	47	78	45	14	54	62	52	42	49	74	10	-	-	-

Notes: Genetic testing results pending.

16/08/2021

	Selection	Indexes								
\$	A	\$A-L								
\$179	67	\$321	64							

Date of Birth: 22/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DD2%,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE A5060 SV

DAM: NNHJ3094 NOONEE QUALITY J3094 #

NOONEE QUALITY D112 #

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+3.5	+2.9	-3.7	+3.7	+42	+79	+102	+93	+13	+1.9	-6.1	+63	+2.7	+0.3	+0.8	-0.7	+1.3	-0.40	-	-	-
Acc	43%	37%	58%	57%	56%	57%	57%	56%	51%	51%	32%	51%	50%	54%	52%	50%	47%	40%	-	-	-
Perc	43	51	66	40	84	80	79	64	86	54	25	61	93	40	21	88	78	4	-	-	-

Notes: Genetic testing results pending.

	Selection	n Indexes							
\$	A	\$A-L 87 \$286 83							
\$150	87	\$286	83						

Purchaser:

NOONEE S1011 # **Lot 18** NNH21S1011

Date of Birth: 29/05/2021 Register: APR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: NMMP15 MILLAH MURRAH PARATROOPER P15 PV

MILLAH MURRAH ELA M9 PV

NOONEE NAPOLEON N25 SV

DAM: NNHQ9058 NOONEE WARATAH Q9058 PV

NOONEE WARATAH M102 PV

	Mid Au	igust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C)bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+4.8	+6.2	-7.4	+3.7	+56	+104	+124	+116	+18	+2.0	-3.8	+78	+7.8	+0.2	-0.3	+0.8	+1.5	-0.04	-	-	-
Acc	53%	42%	83%	66%	65%	65%	65%	61%	53%	62%	33%	58%	58%	61%	59%	58%	57%	47%	-	-	-
Perc	32	17	13	40	20	12	32	24	44	49	64	15	24	42	47	36	70	24	-	-	-

	Selection	Indexes	
\$	A	\$A	ı-L
\$206	39	\$376	23

Lot 19 NOONEE S1044 # NNH21S1044

AMFU,CAFU,DD25%,NHFU Date of Birth: 17/06/2021 Register: APR Mating Type: Natural

ABERDEEN ESTATE JEOPARDY J57 PV

SIRE: NNHN71 NOONEE NAVMAN N71 SV

NOONEE ESTER J37 #

TE MANIA EMPEROR E343 PV

DAM: NNHP8056 NOONEE P8056 #

NOONEE L5063 #

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	erved: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+4.4	+5.5	-4.0	+4.0	+48	+86	+111	+95	+17	+1.8	-6.4	+61	+6.5	+1.0	-0.2	+0.4	+2.1	-0.05	-	-	-
Acc	45%	43%	58%	54%	55%	57%	56%	54%	49%	52%	38%	53%	50%	54%	51%	53%	50%	44%	-	-	-
Perc	35	23	61	47	60	60	62	60	51	58	21	70	41	22	44	53	46	23	-	-	-

Notes: Genetic testing results pending.

Date of Birth: 07/06/2021

	Selection	Indexes									
\$A \$A-L											
\$205	41	\$352	40								

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 20 NOONEE S1023 # NNH21S1023 Mating Type: Al

SYDGEN EXCEED 3223 PV

NOONEE KANDINSKY K54 SV

SIRE: USA18170041 SYDGEN ENHANCE SV

Register: APR

DAM: NNHQ9032 NOONEE TRIXIE Q9032 SV

SYDGEN RITA 2618 # NOONEE TRIXIE F0026 #

TACE	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	Observed: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-1.5	-2.4	-2.1	+5.1	+54	+97	+132	+113	+15	+1.2	-1.4	+73	+5.7	-1.4	-1.6	+0.9	+1.6	-0.50	-	-	-
Acc	58%	50%	83%	68%	67%	67%	68%	66%	62%	64%	35%	63%	61%	64%	61%	61%	61%	51%	-	-	-
Perc	79	89	86	72	28	26	19	28	66	81	93	28	55	85	79	32	67	2	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	\-L
\$180	66	\$315	67

Date of Birth: 04/06/2021 Register: HBR Mating Type: Al AMFU,CAFU,DD50%,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE KANDINSKY K54 SV

DAM: NNHQ24 NOONEE HILDA Q24 SV

NOONEE HILDA K26 #

TACE	Mid Au	ıgust 20	22 Tra	nsTasm	an Ang	us Catt	le Evalı	uation												Traits C	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+3.9	+3.7	-5.4	+3.5	+55	+96	+122	+96	+19	+1.0	-1.8	+67	+7.1	-0.8	-1.2	+1.5	+1.4	+0.04	-	-	-
Acc	57%	48%	83%	68%	68%	67%	68%	66%	62%	65%	38%	63%	61%	65%	62%	62%	61%	52%	-	-	-
Perc	40	42	37	35	24	29	37	57	31	86	90	49	33	72	70	14	74	33	-	-	-

Notes: Sampson S21 does not look like the usual Paratrooper, but parent verification results are pending.

Genetic testing results pending.

 Selection Indexes

 \$A
 \$A-L

 \$219
 27
 \$357
 36

Purchaser: \$

Lot 22 NOONEE S1013 * NNH21S1013

Date of Birth: 30/05/2021 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

TE MANIA ULONG U41 SV

SIRE: NPYE33 PATAWALLA MATRIX E33 SV

PATAWALLA A12 #

NOONEE LOVETT L35 $^{\text{SV}}$ DAM: NNHQ9086 NOONEE HILDA Q9086 $^{\text{SV}}$

NOONEE HILDA H2087 #

	Mid Au	ıgust 20)22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	Observed: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+9.1	+6.0	-8.6	+1.8	+42	+77	+96	+68	+20	+1.2	-4.9	+55	+5.3	+0.9	+1.0	+0.0	+2.3	-0.22	-	-	-
Acc	50%	45%	83%	65%	64%	64%	64%	62%	59%	61%	39%	60%	58%	62%	59%	59%	57%	49%	-	-	-
Perc	5	19	6	9	84	85	88	93	30	81	44	85	62	24	18	69	39	10	-	-	-

	Selection	Indexes										
\$A \$A-L												
\$211	35	\$337	52									

Purchaser: _______\$ _______

Lot 23 NOONEE S1115 * NNH21S1115

Date of Birth: 22/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE CENTURION C40 SV

DAM: NNHE9096 NOONEE LEXYE9096 #

NOONEE LEXY 228 #

	Mid Au	ugust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.3	+2.9	-2.9	+4.7	+40	+74	+101	+98	+16	+1.5	-4.4	+60	+5.6	-1.3	-2.1	+1.3	+1.1	-0.28	-	-	-
Acc	45%	39%	60%	60%	58%	57%	58%	57%	54%	51%	33%	52%	50%	54%	52%	51%	48%	41%	-	-	-
Perc	69	51	77	63	90	90	82	55	62	70	54	74	57	83	87	19	84	8	-	-	-

Notes:

	Selection	Indexes									
\$A \$A-L											
\$128	94	\$252	93								

Purchaser: _______\$

Lot 24 NOONEE S1016 * NNH21S1016

Date of Birth: 01/06/2021 Register: APR Mating Type: AI AM3%,CA3%,DD3%,NH3%

EF COMMANDO 1366 PV

UNKNOWN

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV DAM: NNHQ16 NOONEE ESTER Q16 SV

BALDRIDGE BLACKBIRD A030 #

NOONEE ESTED HAS #

NOONEE ESTER H16 #

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+7.3	+3.5	-6.3	+2.9	+50	+91	+113	+95	+18	+1.6	-2.9	+70	+9.7	-1.6	-2.3	+2.1	+1.9	+0.29	-	-	-
Acc	57%	48%	83%	67%	66%	66%	67%	65%	61%	63%	38%	62%	60%	64%	61%	61%	60%	51%	-	-	-
Perc	13	44	24	23	46	43	57	59	39	66	78	38	9	88	89	5	54	64	-	-	-

Notes: Genetic testing results pending.

	Selection	Indexes	
\$.	A	\$A	\-L
\$214	31	\$360	34

Purchaser: _______ \$

Date of Birth: 01/06/2021 Register: HBR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: NMMP15 MILLAH MURRAH PARATROOPER P15 PV

MILLAH MURRAH FLA M9 PV

NOONEE KANDINSKY K54 SV

DAM: NNHQ96 NOONEE JEANETTE Q96 SV

NOONEE JEANETTE H3#

	Mid Au	igust 20	22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits O	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.1	+6.4	-6.3	+3.7	+55	+96	+119	+104	+20	+1.5	-5.2	+76	+6.2	-0.4	-0.8	+0.4	+1.9	+0.01	•	-	-
Acc	54%	43%	83%	67%	66%	66%	66%	62%	55%	63%	35%	59%	58%	62%	59%	58%	58%	48%	-	-	-
Perc	29	16	24	40	25	31	44	44	25	70	39	20	46	61	60	53	54	29	-	-	-

Notes

	Selection	n Indexes							
\$	\$A-L								
\$217	29	\$374	24						

Purchaser: ...

NOONEE S1021 # **Lot 26** NNH21S1021

Date of Birth: 03/06/2021 Register: APR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

10

9

BALDRIDGE BLACKBIRD A030 #

NOONEE NOTEWORTHY N37 SV DAM: NNHQ9011 NOONEE LEXY Q9011 SV

8

46

49

NOONEE LEXY M6055 #

79

TACE CEDtrs CEDir GL BW 200 400 600 MCW Milk SS DTC CWT EMA P8 NFI-F Claw Rib RBY IMF Doc Angle EBV +2.5 +2.7 -5.6 +4.6 +59 +107 +134 +113 +2.0 +8.9 -1.3 +1.9 +0.17 +16 -2.1 +72 -1.6 +2.1 55% Acc 46% 82% 67% 66% 66% 67% 65% 61% 63% 36% 62% 60% 64% 61% 60% 60% 50%

87

29

14

Perc

52

Date of Birth: 20/07/2021

53

34

	Selection	Indexes	
\$	A	\$A	۱-L
\$231	16		

61

83

NOONEE SUFFOLK S103 # Lot 27

Register: HBR

16

29

64

49

NNH21S103 AMFU,CAFU,DD25%,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE HANNIBAL H8 PV DAM: NNHM60 NOONEE BROLGA M60 #

NOONEE BROLGA F98 SV

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	nan Ang	us Catt	le Eval	uation												Traits Obs	served: None
Yrans Yasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.9	+3.3	-3.3	+4.6	+41	+75	+100	+99	+11	+1.5	-5.0	+61	+6.0	-0.5	-1.0	+0.9	+1.2	-0.29	-	-	-
Acc	42%	37%	55%	54%	54%	55%	56%	53%	48%	47%	30%	50%	48%	52%	50%	49%	46%	39%	-	-	-
Perc	64	46	72	61	87	88	83	52	92	70	43	70	50	64	65	32	81	7	-	-	-

Mating Type: Natural

Notes: Genetic testing results pending.

	Selection	ı Indexes	
\$	A	\$A	\-L
\$137	92	\$266	89

AMFU,CAFU,DD25%,NHFU

Purchaser:

Lot 28 NOONEE SKIPPER S75 # NNH21S75

Date of Birth: 06/07/2021 Mating Type: Natural

ASCOT EVIDENT H146 PV SIRE: NNHN28 NOONEE NOTABLE N28 PV

DAM: NNHN27 NOONEE NIGHTINGALE N27 #

WMR TIMELESS 458 #

NOONEE WINKIE F3 SV NOONEE NIGHTINGALE H105 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-4.7	-0.4	-5.0	+5.9	+55	+96	+126	+122	+12	+1.9	-2.2	+73	+5.2	-0.7	-1.3	+1.3	+0.9	-0.36	-	-	-
Acc	44%	39%	63%	58%	56%	57%	57%	55%	50%	52%	32%	52%	51%	54%	52%	51%	48%	42%	-	-	-
Perc	91	79	44	85	22	30	30	16	88	54	86	28	64	69	72	19	89	5	-	-	-

Notes: Genetic testing results pending.

	Selection	Indexes									
\$	\$A \$A-L										
\$156	84	\$292	80								

Date of Birth: 22/06/2021 Register: APR Mating Type: Natural AM3%,CA3%,DD3%,NH3%

BALDRIDGE BEAST MODE B074 $^{\rm PV}$

SIRE: NBNQ334 BEN NEVIS QARMA Q334 SV

BEN NEVIS GERANIUM N195 SV

UNKNOWN

DAM: NNHQ9057 NOONEE TRIXIE Q9057 #

NOONEE TRIXIE L5160 #

	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.7	+3.7	-3.8	+4.6	+54	+95	+120	+108	+13	+2.2	-	+68	+5.4	-0.1	-0.4	+0.6	+1.6	+0.05	-	-	-
Acc	35%	31%	42%	46%	44%	43%	44%	44%	40%	40%	-	41%	39%	43%	40%	41%	39%	33%	-	-	-
Perc	66	42	64	61	27	32	41	36	81	41	-	45	60	52	50	44	67	34	-	-	-

Notes: Genetic testing results pending.

	Selection	n Indexes						
\$	A	\$A	\-L					
\$193	54	\$340 49						

Purchaser:

NOONEE S1119 # **Lot 30** NNH21S1119

Date of Birth: 28/07/2021 Register: APR Mating Type: Natural AMFU,CA50%,DD2%,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE C7002 SV DAM: NNHE9034 NOONEE JEANETTE E9034 #

NOONEE JEANETTE C34 #

TACE	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	Traits Observed: None	
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw	
EBV	+4.0	+3.1	-5.5	+3.4	+40	+76	+102	+80	+16	+1.1	-5.8	+59	+5.1	-0.4	-0.8	+0.6	+1.5	-0.17		-	-	
Acc	44%	38%	57%	59%	56%	56%	57%	56%	51%	50%	32%	51%	49%	54%	51%	50%	47%	40%	-	-	-	
Perc	39	49	36	33	91	86	79	83	64	84	29	76	65	61	60	44	70	13	-	-	-	

Notes: Genetic testing results pending.

	Selection	Indexes					
\$.	A	\$A	L				
\$177 69 \$301 75							

Lot 31 NOONEE S1109 # NNH21S1109

AMFU,CAFU,DDFU,NHFU Date of Birth: 18/07/2021 Register: APR Mating Type: Natural

BALDRIDGE COMMAND C036 PV

SIRE: NNHP11 NOONEE PADRONE P11 SV

NOONEE QUALITY M148 #

NOONEE NOTEWORTHY N37 SV

DAM: NNHQ9006 NOONEE Q9006 SV

NOONEE L5033 #

TACE	Mid Au	ugust 20	22 Tra	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+2.6	+2.0	-5.1	+3.7	+45	+83	+108	+82	+21	+2.9	-5.2	+64	+5.1	+1.5	+1.9	-0.3	+2.4	+0.53	-	-	-
Acc	44%	39%	60%	59%	58%	58%	59%	57%	51%	54%	30%	54%	51%	57%	53%	54%	51%	43%	-	-	-
Perc	51	60	42	40	72	69	69	80	18	18	39	60	65	13	7	79	35	87	-	-	-

Notes:

	Selection	ı Indexes	
\$.	A	\$A	\-L
\$198	48	\$327	59

Purchaser:

Lot 32 NOONEE STAN S24 # NNH21S24

AMFU,CAFU,DDFU,NHFU Date of Birth: 04/06/2021 Register: HBR Mating Type: Al

EF COMMANDO 1366 PV

NOONEE KANDINSKY K54 SV DAM: NNHQ119 NOONEE THELMA Q119 SV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE THELMA H100 #

	Mid Au	ugust 20	22 Tra	nsTasm	an Ang	jus Catt	le Eval	uation												Traits O	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+6.1	+3.9	-3.9	+3.6	+51	+93	+116	+90	+21	+0.6	-0.6	+66	+7.7	-0.9	-1.7	+1.5	+1.6	+0.18	-	-	-
Acc	57%	48%	84%	68%	68%	67%	68%	66%	62%	65%	38%	63%	62%	65%	62%	62%	61%	52%	-	-	-
Perc	21	40	63	37	44	38	50	68	22	94	96	53	25	74	81	14	67	51	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	ı-L
\$204	41	\$338	51

AMFU,CAFU,DD3%,NHFU Date of Birth: 20/07/2021 Register: HBR Mating Type: Natural

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE GALILEO G39 PV

DAM: NNHK45 NOONEE CLEO K45 #

NOONEE CLEO E92 SV

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.2	+2.2	-2.3	+4.8	+45	+81	+110	+104	+15	+1.5	-3.9	+66	+5.1	-0.2	-0.6	+0.5	+1.0	-0.38	-	-	-
Acc	43%	38%	59%	57%	56%	56%	56%	55%	50%	50%	31%	51%	49%	54%	51%	51%	48%	41%	-	-	-
Perc	62	58	84	66	73	76	65	44	72	70	63	52	65	55	55	49	86	4	-	-	-

Notes: Genetic testing results pending.

	Selection	Indexes	
\$	A	\$A	\-L
\$143	90	\$276	86

Purchaser:

NOONEE SETTLER S68 #

NNH21S68

AMFU,CAFU,DDFU,NHFU

Date of Birth: 05/07/2021

Lot 34

Register: HBR

Mating Type: Natural

NOONEE KANDINSKY K54 SV DAM: NNHQ104 NOONEE TENTURA Q104 PV

NOONEE TENTURA F63 SV

SIRE: NBNQ334 BEN NEVIS QARMA Q334 SV

BEN NEVIS GERANIUM N195 SV

BALDRIDGE BEAST MODE B074 PV

	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
insTasman Angus attle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-1.4	+3.1	-2.5	+5.3	+55	+98	+126	+109	+15	+0.9	-2.9	+71	+5.3	-0.3	-1.0	+0.6	+1.6	-0.06	-	-	-
Acc	43%	38%	53%	57%	54%	54%	55%	53%	49%	51%	30%	51%	49%	53%	50%	51%	49%	41%	-	-	-
Perc	79	49	82	76	24	25	29	34	68	89	78	33	62	58	65	44	67	22	-	-	-

Notes: Sire verification pending, sire could be NNHP11

	Selection	n Indexes	
\$	A	\$A	\-L
\$192	54	\$333	55

Lot 35

Date of Birth: 26/07/2021

NOONEE SAMMY S108 #

NNH21S108

AMFU,CAFU,DD25%,NHFU

VERMONT BT EQUATOR C255 PV SIRE: NNHL45 NOONEE LAMARCK L45 PV

Register: HBR

Register: HBR

NOONEE JEANETTE J44 PV

NOONEE HANNIBAL H8 PV

DAM: NNHK112 NOONEE BROLGA K112 #

NOONEE BROLGA F98 SV

	Mid Au	ugust 20	22 Tra	nsTasm	nan Ang	jus Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Mating Type: Natural

Notes: Genetic testing results pending.

12/07/2021

	Selection	n Indexes	
\$	A	\$A	\-L
-	-	-	-

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 36 NOONEE SOTHESBY S89 # NNH21S89

Mating Type: Natural

VERMONT BT EQUATOR C255 PV

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

DAM: NNHJ5 NOONEE JEANETTE J5 PV

NOONEE JEANETTE J44 PV

NOONEE JEANETTE D8 SV

	Mid Au	ugust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.5	+5.4	-3.7	+4.6	+39	+71	+100	+91	+12	+1.0	-4.8	+59	+4.7	-0.9	-0.6	+0.5	+1.4	-0.39	-	-	-
Acc	49%	43%	65%	62%	60%	60%	61%	60%	55%	53%	36%	55%	53%	57%	55%	54%	52%	44%	-	-	-
											4.0					40					

Notes:

Date of Birth:

	Selection	Indexes	
\$	A	\$A	\-L
\$139	91	\$261	91

Date of Birth: 12/06/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

BALDRIDGE COMMAND C036 PV

SIRE: NNHP11 NOONEE PADRONE P11 SV

NOONEE QUALITY M148 #

NOONEE HARDY H21 SV

DAM: NNHQ9056 NOONEE LEXY Q9056 SV

NOONEE LEXY H2016 #

	Mid Au	igust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.2	+5.1	-5.9	+2.7	+46	+83	+106	+87	+17	+0.6	-3.2	+69	+4.0	-0.8	-1.1	+0.0	+2.4	+0.05	•	-	-
Acc	46%	41%	62%	61%	60%	60%	61%	59%	54%	57%	33%	57%	54%	59%	56%	57%	54%	46%	-	-	-
Perc	28	27	30	20	71	70	73	73	56	94	74	41	81	72	68	69	35	34	-	-	-

Notes:

Lot 38

	Selection	Indexes	
\$	A	\$A	ı-L
\$191	55	\$323	62

NNH21S1

Purchaser:

NOONEE STANLEY S1 #

Date of Birth: 22/05/2021 Register: HBR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE MASCOT M43 SV

DAM: NNHQ103 NOONEE CLEO Q103 PV

NOONEE CLEO K40 #

	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	Observed: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+7.3	+6.6	-10.1	+3.8	+59	+99	+129	+117	+14	+0.6	-2.1	+73	+7.4	-1.4	-2.4	+1.6	+2.0	-0.07	-	-	-
Acc	56%	47%	84%	67%	67%	67%	67%	66%	62%	64%	37%	62%	61%	64%	61%	61%	60%	51%	-	-	-
Perc	13	14	2	42	11	22	24	23	78	94	87	27	28	85	90	12	50	21	-	-	-

	Selection	n Indexes								
\$	A	\$A	\-L							
\$227 20 \$394 14										

Lot 39

Date of Birth: 18/07/2021

Date of Birth: 08/09/2021

NOONEE STRATFORD S102 #

Register: HBR

Register: APR

Mating Type: Natural

NNH21S102 AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

NOONEE HANNIBAL H8 PV

DAM: NNHK125 NOONEE QUALITY K125 #

NOONEE QUALITY F15 SV

TACE	Mid Au	ıgust 20	22 Tra	nsTasm	nan Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.7	+2.8	-3.7	+4.4	+42	+75	+100	+96	+11	+1.7	-5.0	+58	+5.9	-0.3	-0.1	+0.7	+1.1	-0.38	-	-	-
Acc	43%	38%	56%	56%	55%	55%	55%	54%	49%	47%	31%	50%	47%	51%	49%	48%	45%	39%	-	-	-
Perc	66	52	66	57	86	89	83	58	93	62	43	79	52	58	42	40	84	4	-	-	-

Notes:

	Selection	n Indexes	
\$.	A	\$A	\-L
\$148	88	\$276	86

AMFU,CAFU,DDFU,NHFU

Purchaser:

Lot 40 NOONEE S1160 # NNH21S1160 Mating Type: Natural

VERMONT BT EQUATOR C255 PV

PATAWALLA MATRIX E33 SV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

DAM: NNHK148 NOONEE KARAKARA K148 #

NOONEE JEANETTE J44 PV

NOONEE KARAKARA F29 SV

TACE	Mid Au	ıgust 20)22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+2.4	+2.7	-5.0	+4.8	+48	+89	+122	+123	+16	+1.1	-3.9	+69	+5.7	-2.1	-2.3	+1.3	+1.5	-0.66	-	-	-
Acc	43%	38%	57%	55%	54%	54%	54%	52%	49%	49%	33%	50%	49%	52%	50%	50%	47%	41%	-	-	-
Perc	53	53	44	66	59	52	38	16	65	84	63	41	55	94	89	19	70	1	-	-	-

Notes:

	Selection	Indexes	
\$	A	\$A	\-L
\$156	84	\$311	70

Date of Birth: 05/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

BALDRIDGE BEAST MODE B074 $^{\rm PV}$

SIRE: NBNQ334 BEN NEVIS QARMA Q334 SV

BEN NEVIS GERANIUM N195 SV

NOONEE J3068 SV

DAM: NNHQ9025 NOONEE PRINNIE Q9025 SV

NOONEE PRINNIE F0060 SV

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.1	+1.3	-2.0	+5.0	+55	+94	+115	+88	+15	+3.0	-5.9	+67	+6.2	+0.6	+0.5	+0.8	+1.7	+0.40	-	-	-
Acc	43%	38%	53%	57%	55%	54%	55%	54%	49%	50%	31%	52%	49%	54%	51%	52%	49%	42%	-	-	-
Perc	70	66	87	70	23	36	54	72	72	15	28	48	46	31	27	36	63	76	-	-	-

Notes: Sire verification pending, sire could be NNHP11

	Selection	n Indexes	
\$	A	\$A	\-L
\$226	20	\$359	35

Purchaser:

NOONEE SPENCER S8 # Lot 42 **NNH21S8**

Date of Birth: 30/05/2021 Register: HBR Mating Type: Al AMFU,CAFU,DDFU,NHFU

EF COMMANDO 1366 PV

SIRE: USA18219911 BALDRIDGE COMMAND C036 PV

BALDRIDGE BLACKBIRD A030 #

NOONEE NAPOLEON N25 SV

DAM: NNHQ9 NOONEE HILDA Q9 SV

NOONEE HILDA M87 #

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits C	bserved: GL
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.2	+4.9	-7.3	+4.4	+55	+97	+120	+93	+19	+0.9	-2.4	+68	+8.3	-0.8	-1.5	+2.1	+1.5	+0.13	-	-	-
Acc	55%	46%	83%	66%	66%	65%	66%	65%	60%	63%	36%	61%	59%	63%	60%	60%	59%	50%	-	-	-
Perc	28	29	14	57	23	28	40	62	31	89	84	42	19	72	77	5	70	44	-	-	-

Notes: Dam Hilda Q9 raised two calves and Spencer S8 does not look like the usual Command bull, but more like an Enhance. She may have adopted someone else's calf, and parent verification results are pending.

	Selection	Indexes	
\$	A	\$A	ı-L
\$234	15	\$376	23

NNH21S69

NOONEE SMIGGINS S69 # Lot 43

AMFU, CAFU, DDFU, NHFU Register: HBR Date of Birth: 05/07/2021 Mating Type: Natural

BALDRIDGE BEAST MODE B074 PV

SIRE: NBNQ334 BEN NEVIS QARMA Q334 SV

BEN NEVIS GERANIUM N195 SV

NOONEE NAPOLEON N25 SV DAM: NNHQ8 NOONEE WINKIE Q8 PV

NOONEE WINKIE M36 SV

	Mid Au	ıgust 20	22 Trai	nsTasm	an Ang	us Catt	le Eval	uation												Traits Obs	served: None
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.8	+3.4	-1.6	+4.8	+56	+98	+125	+111	+16	+1.6	-3.0	+67	+4.6	-0.4	-1.0	+0.4	+2.0	+0.16	-	-	-
Acc	42%	37%	52%	55%	53%	53%	54%	52%	48%	49%	29%	50%	47%	52%	49%	50%	48%	40%	-	-	-
Perc	58	45	91	66	21	24	32	32	61	66	77	50	73	61	65	53	50	48	-	-	-

Notes: Sire verification pending, sire could be NBNQ334

08/07/2021

	Selection	n Indexes	
\$	A	\$A	ı-L
\$199	47	\$349	42

AMFU,CAFU,DDFU,NHFU

Purchaser:

Register: APR

Lot 44 **NOONEE S1098** # NNH21S1098 Mating Type: Natural

BALDRIDGE COMMAND C036 PV

NOONEE NAPOLEON N25 SV

SIRE: NNHP11 NOONEE PADRONE P11 SV DAM: NNHQ9049 NOONEE GINNIE Q9049 SV

NOONEE QUALITY M148 # NOONEE GINNIE M6056 #

TACE	Mid August 2022 TransTasman Angus Cattle Evaluation													Traits Obs	served: None						
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+1.1	+2.8	-3.8	+4.7	+51	+91	+117	+105	+19	+1.7	-3.0	+66	+4.8	+0.7	-0.9	+0.7	+1.7	+0.18	-	-	-
Acc	45%	40%	62%	61%	60%	60%	61%	59%	53%	56%	30%	56%	54%	59%	56%	56%	54%	45%	-	-	-
Perc	63	52	64	63	11	//3	18	40	37	62	77	53	70	20	63	40	63	51	_	_	

Notes:

Date of Birth:

Selection Indexes										
\$	A	\$A-L								
\$178	68	\$317	66							

Date of Birth: 12/06/2021 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

ABERDEEN ESTATE JEOPARDY J57 PV

SIRE: NNHN71 NOONEE NAVMAN N71 SV

NOONEE ESTER J37 #

MSU CRV DARK KNIGHT 041 SV

DAM: NNHP45 NOONEE DIANA P45 #

NOONEE DIANA E119 #

TACE	Mid August 2022 TransTasman Angus Cattle Evaluation													Traits Observed: None							
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+0.5	+2.7	-3.5	+4.4	+48	+88	+113	+98	+17	+2.4	-4.2	+64	+6.6	+0.0	-1.2	+1.4	+1.4	-0.12	-	-	-
Acc	40%	35%	56%	54%	54%	54%	53%	51%	46%	49%	30%	49%	46%	50%	47%	48%	45%	38%	-	-	-
Perc	67	53	69	57	56	53	57	54	48	33	57	60	40	49	70	17	74	17	-	-	-

Notes:

Selection Indexes										
\$.	A	\$A-L								
\$182	64	\$316	66							

Purchaser: \$

Lot 46 NOONEE S1069 * NNH21S1069

Date of Birth: 03/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

ABERDEEN ESTATE JEOPARDY J57 PV

SIRE: NNHN71 NOONEE NAVMAN N71 SV

NOONEE ESTER J37 #

DAM: NNHP8110 NOONEE BLACKBIRD P8110 #

NOONEE BLACKBIRD J3121 #

NOONEE LLOYD L152 PV

TACE Mid August 2022 TransTasman Angus Cattle Evaluation												Traits Observed: None									
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	+5.7	+4.8	-5.6	+3.1	+44	+80	+100	+84	+17	+1.7	-6.1	+58	+6.3	+0.1	-0.3	+0.9	+1.6	-0.16	-	-	-
Acc	38%	34%	48%	51%	51%	52%	51%	48%	43%	48%	28%	47%	43%	47%	45%	45%	42%	36%	-	-	-
Perc	24	30	34	27	79	78	82	78	53	62	25	80	45	45	47	32	67	14	-	-	-

Notes

Notes:

Selection Indexes										
\$A \$A-L										
\$196 50 \$332 56										

Lot 47 NOONEE S1134 * NNH21S1134

Date of Birth: 24/07/2021 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

VERMONT BT EQUATOR C255 PV

SIRE: NNHL45 NOONEE LAMARCK L45 PV

NOONEE JEANETTE J44 PV

ABERDEEN ESTATE JERALD J86 SV

DAM: NNHM6086 NOONEE M6086 #

UNKNOWN

														Traits Observed: None							
TransTasman Angus Cattle Evaluation	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Angle	Claw
EBV	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perc	_	_	i _	_	_	_	i _	_	_	_	_	_	_	i _	_	_	_	_	_	_	

Selection Indexes									
\$	Α	\$A	ı-L						
-	-	-	-						

DISCLAIMER AND PRIVACY INFORMATION

Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name,

address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.
I, the buyer of animals with the following idents
from member(name) do not consent to Angus
Australia using my name, address and phone number for the purposes of effecting a change of registration
of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that
information to its members on its website.
Name: Signature:
Date:

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.



If you have any questions or queries regarding any of the above, please contact Angus Australia on (O2) 6773 4600 or email office@angusaustralia.com.au

RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or "broken" genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or "broken" alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or "broken" genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by "broken" alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as "carriers".

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.


Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an "Database Search" from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia's Breed Development & Extension Manager on (02) 6773 4618.



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- · the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the FBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

	_			
Ф	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
Calving Ease	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
Calv	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
L	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
Growth	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
Feri	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the $12/13$ th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
Carcase	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
Car	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/ Temp.	NFI-F	kg/ day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
-Fe	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
Stru	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
Selection Index	\$A-L	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding	Higher selection indexes indicate greater profitability.
			herd increase as a result of selection decisions.	



BRINGING YOUR LEW BULL HOME

WHEN PURCHASING A BULL, CARE AND HANDLING AFTER THE SALE CAN BE AS IMPORTANT AS THE PURCHASE ITSELF.

LOOKING AFTER YOUR BULL WELL DURING THE INITIAL STAGES OF HIS WORKING LIFE MAY ENSURE LONGEVITY

AND SUCCESS WITHIN YOUR BREEDING HERD.

PURCHASE

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled. Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

DELIVERY

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible If necessary, rest with water and feed.
 Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

IF YOU USE A PROFESSIONAL CARRIER:

 Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

ARRIVAL

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning .

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine:
- · vibriosis vaccine:
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull. These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice.

Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.



BRINGING YOUR ROME HOME

Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice.

Plan to give follow-up vaccinations 4-6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

MATING NEW YOUNG BULLS

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows.

Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later.

When the young bulls are working, inspect them regularly and closely.

MATING NEW YOUNG BULLS

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability.

All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

DURING MATING

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

NORTHERN AUSTRALIA

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straightbred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

ADAPTATION

They key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

PURCHASE IN COOLER MONTHS

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

CHANGE OF FEED SOURCE

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

MANAGING CATTLE TICKS

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember males are more susceptible to ticks than females.

Information is provided by the Department of Primary Industries NSW. For further information visit the DPI web site: www.dpi.nsw.gov.au. or www.angusaustralia.com. au. Further reading - Buying Angus Bulls

FOR FURTHER INFORMATION VISIT

www.angusaustralia.com.au

Angus Australia Locked Bag 11, Armidale NSW 2350 Phone: (02) 6772 3011 | Fax: (02) 6772 3095

Email: office@angusaustralia.com.au Website: www.angusaustralia.com.au The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA

SV: the sire has been verified by DNA

DV: the dam has been verified by DNA

#: DNA verification has not been conducted

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

TransTasman Angus Cattle Evaluation

TransTasman Angus
Cattle Evaluation